Maertens et al. Appl. No. 09/899,303 October 27, 2004

IN THE CLAIMS:

Amend the claims as follows.

Claims 1-67. (Canceled)

- 68. (Previously Presented) A recombinant vaccinia virus vector comprising a vector sequence, a promotor selected from the group consisting of a eukaryotic promoter and a viral promoter, said promoter being operatively linked to a nucleic sequence to allow expression of an HCV single or specifically oligomerized E1 envelope viral protein, with said nucleotide sequence being characterised further in that it encodes a single HCV E1 protein starting in the region between amino acid positions 117 and 192 and ending in the region between amino acid positions 285 and 400.
- 69. (Previously Presented) A recombinant vector vaccinia comprising a vector sequence, a promotor selected from the group consisting of a eukaryotic promoter and a viral promoter, said promoter being operatively linked to a nucleic sequence to allow expression of an HCV single or specifically oligomerized E1 envelope viral protein, with said nucleotide sequence being characterised further in that it encodes a single HCV E1 protein starting in the region between amino acid positions 117 and 192 and ending in the region between amino acid positions 285 and 326.
- 70. (Previously Presented) The recombinant vector according to claim 68 wherein said nucleotide sequence comprises a sequence encoding an HCV leader

Maertens et al. Appl. No. 09/899,303 October 27, 2004

sequence attached before a sequence encoding an HCV envelope E1 protein starting at amino acid position 192.

Claims 71-72. (Canceled)

73. (Previously Presented) The recombinant vector according to any one of claims 68-70 and 102, with said nucleotide sequence further comprising operably linked a 5'-terminal ATG codon and a 3'-terminal stop codon.

74. (Previously Presented) The recombinant vector according to any one of claims 68-70 and 102 with said nucleotide sequence being characterised further in that a factor Xa cleavage site and/or 3 to 10, preferably 6, histidine codons have been added 3'-terminally to the coding region.

Claim 75. (Canceled)

Claim 76. (Previously Presented) A recombinant vector comprising a vector sequence, a promotor selected from the group consisting of a eukaryotic promoter and a viral promoter, said promoter being operatively linked to a nucleic sequence to allow expression of an HCV single or specifically oligomerized E1 envelope viral protein, said nucleotide sequence being characterised further in that at least one of the glycosylation sites present in said E1 has been removed at the nucleic acid level.

Maertens et al. Appl. No. 09/899,303 October 27, 2004

Claims 77-78. (Canceled)

79. (Previously Presented) A composition comprising a recombinant vector according to any one of claims 68-70, 76, 95 and 102.

Claims 80-84. (Canceled)

- 85. (Previously Presented) A method for immunizing a mammal comprising administering a composition of claim 79 to said mammal.
- 86. (Previously Presented) The composition according to claim 79, further comprising a pharmaceutically acceptable adjuvant.
- 87. (Previously Presented) The recombinant vector according to any one of claims 69-70, 76, 95 and 102, with said vector being characterized as a live recombinant vector.
- 88. (Previously Presented) The recombinant vector according to any one of claims 69-70, 76, 95 and 102 wherein said vector is a vaccinia virus vector.
- 89. (Previously Presented) The recombinant vector according to any one of claims 69-70, 76, 95 and 102 wherein said vector is avipox.

Maertens et al. Appl. No. 09/899,303 October 27, 2004

90. (Previously Presented) The recombinant vector according to any one of claims 69-70, 76, 95 and 102 wherein said vector is Ankara Modified Virus (AMV).

Claims 91-94. (Canceled)

- 95. (Currently Amended) A recombinant vector comprising any of the sequences as represented by SEQ ID NOs; 3, 5, 7, 9, 11, 13, 29, 31, or an epitope encoding part thereof.
- 96. (Currently Amended) A recombinant vector of any one of claims 68-70, 76 and 102 wherein said nucleotide sequence is a nucleotide sequence represented by SEQ ID NOs: 3, 5, 7, 9, 11, 13, 29, 31, or an epitope-encoding part thereof.
- 97. (Currently Amended) A recombinant vector of claim 69 wherein said nucleotide sequence is a nucleotide sequence represented by SEQ ID NOs:7, 9, 11, 13, 29, 31, or an epitope encoding part thereof.

Claims 98-101. (Canceled)

102. (Previously Presented) The recombinant vector according to claim 69 wherein said nucleotide sequence comprises a sequence encoding an HCV leader sequence attached before a sequence encoding an HCV envelope E1 protein starting at amino acid position 192.